







## Optional Equipment

Category	Option Type	Description
<b>Cab</b>	Cab accessories	Cab curtains
<b>Spike Options</b>	Lewis bolt	Lewis bolt "Evergrip" workhead
<b>Repair &amp; Maintenance</b>	Corner-mounted jackstands	Holds the unit above the track to allow under-machine repairs
	Electric hydraulic tank fill system	Allows quick filling of hydraulic tank
	Spare hose tree	Stores extra hoses on the machine
	Electric emergency pump	Allows workhead to be moved if engine fails
<b>Other Accessories</b>	Gauges and alarms	Fuel level site gauge, speedometer, hydraulic reservoir temperature gauge, low hydraulic oil/high hydraulic oil temperature alarm
	Lighting and mirrors	Night lighting package
	Storage	Track tool box
	Miscellaneous	"Danger Live Track" retractable belt, DOT reflective tape, extra parts/operations/maintenance manuals, tow bar with D-handle hitch pins

## Product Specifications

Category	Specification	Value
<b>General</b>	Weight	19,700 lbs
	Length	19' 9"
	Width	8' 6"
	Height	9' 2"
	Wheel base	163"
	Travel speed	20 mph (maximum)
<b>Capacities</b>	Fuel tank	35 gallons
	Hydraulic tank	50 gallons
<b>Engine</b>	Make/Model	John Deere 4024TF, Tier III
	Type	Four-cylinder, four-stroke, turbo-charged
<b>Hydraulic System</b>	Make/Model	Sundstrand Series 45
	Control valves	Husco
<b>Electrical System</b>	Battery	12 Vdc, 1125 cold-cranking amps
<b>Wheels</b>	Size	16" diameter
	Type	Cast steel
<b>Brakes</b>	Type	Four-wheel Cobra style, spring-actuated, hydraulic release

[www.nordco.com](http://www.nordco.com)

International Distributor -  
 American Equipment Company  
 4755 Technology Way, Suite 208  
 Boca Raton, FLORIDA USA 33431  
 Phone: 561-997-2080 / Fax: 561-997-2110  
 Publication 20025-100

